

## Wet chopped strands

### Product Descriptions:

Wet chopped fiberglass was cut from E-glass roving length is from 3mm to 50mm, using special sizing formula. There are two models silane coupling agent and starch. It is the main material of surface tissue, roofing tissue, wrapping tissue with properties of excellent dispersion and flow ability. The product meet ROHS standard.

### Specifications:

Glass type	E-glass	E-glass	E-glass
Sizing formula	Silane or starch	Silane or starch	Silane or starch
Filament diameter ( $\mu\text{m}$ )	11	13	17
length (mm)	3,4,5,6	12,15,24,	38,45,50
Moisture (%)	5-18	5-18	5-18
Alkali content/ $\text{R}_2\text{O}$ (%)	$\leq 0.80$	$\leq 0.80$	$\leq 0.80$

### Terminal market:

Manufacturers of fiberglass tissue, roofing tissue, wrapping tissue.

### Storage:

The wet chopped fiberglass should be stored in a dry place, preferably at room temperature and 50-70% relative humidity.

**Packaging:** Products using paper-plastic bags, Big-Bag.

Paper-plastic bag each net weight 25KG,

Octabin each net weight 700-900kg,

Big bag each net weight 500-900 kg.

Packing can be customized according to special requirements.

**Contact us:**

Tel: (86-898)66729565 36667880

Fax: (86-898)66729560

Email: sales@sinofuwang.com

Website: www.sinofuwang.com

Add: Room 9B, Beijing Building, A6 Garden, Financial & Trading Zone, Haikou, Hainan,  
P.R.C. 570125